ASPECTS OF THE POLAR BEAR HARVEST IN THE NORTHWEST TERRITORIES, CANADA

Northwest Territories Resources, Wildlife & Economic Development

ASPECTS OF THE POLAR BEAR HARVEST IN THE NORTHWEST TERRITORIES, CANADA

JOHN LEE

MITCH TAYLOR

AND

AIKO SUTHERLAND

DEPARTMENT OF RENEWABLE RESOURCES

GOVERNMENT OF THE NORTHWEST TERRITORIES

YELLOWKNIFE, NWT

1994

File Report No. 113

ABSTRACT

We analyzed the age, sex and chronology of the polar bear harvest in the Northwest Territories (NWT) from 1979/80 to 1989/90. The mean annual harvest during that period was 517 with a current quota of 617. Sex and age information was obtained on approximately 90% of the total kill. The harvest was selective for males (63%). The mean age, sex ratio, and age composition varied according to area, type, and month of harvest. Inuit hunters accounted for 88.8% of the harvest, 5.7% was taken by non-native sport hunters, 5.2% of the harvest was killed in conflicts with humans, and 0.3% was killed through illegal or unknown factors. Sport hunting increased by a factor of 2 to 3 times over the sample period and the number of hunts comprised 10.6% of the allowable quota. Forty-seven percent of the harvest occurred in the spring. Accurate reporting of the sex composition of the harvest is required to determine sustainable harvest quotas. Management of polar bears in the NWT is based on inventory studies, harvest sex ratio, and population modelling.

TABLE OF CONTENTS

ABSTRACT iii

LIST OF FIGURES vii

LIST OF TABLES ix

INTRODUCTION 1

METHODS 3
Harvest Monitoring 3
Data Collection 3
Data Analysis 4

RESULTS 7
Annual Harvest 7
Harvest Numbers 7
Sport Hunts 7
Problem Bears 10
Family Groups 10
Sex Composition 11
Age of Harvest 11
Timing of the Harvest 14

DISCUSSION 16
Annual Harvest 16
Harvest Numbers 16
Sport Hunt 17
Problem Bears 18
Family Groups 18
Miscellaneous Harvest 19
Age and Sex Composition 19
Timing of Harvest 21

ACKNOWLEDGEMENTS 23

LITERATURE CITED 24

APPENDIX. The NWT polar bear harvest from 1979/80 to 1989/90 by community. . . 26

LIST OF FIGURES

Figure 1. Polar bear populations within or shared with Canada. 6

Figure 2. Numbers of polar bears killed in the NWT from 1953/54 to 1989/90. (modified from Urquhart and Schweinsburg 1984) 8

Figure 3. Polar bear sport hunts in the NWT from 1969/70 to 1989/90 9

Figure 4 Proportion of female polar bears killed in the NWT from 1979/80 to 1989/90 represented in each of four harvest types 12

Figure 5. Percent of polar bears killed in each of three seasons in the polar bear harvest, 1979/80 to 1989/90 15

LIST OF TABLES

Table 1. Age and sex composition of the polar bear harvest from 12 populations in the NWT over the period July 1, 1979 to June 30, 1990. 13

103-05942/

INTRODUCTION

The polar bear (*Ursus maritimus*) is a species unique to the Arctic yet known throughout the world. The Government of the Northwest Territories (GNWT) has a special obligation in the management of this unique resource, as a large proportion of the world's polar bears are within its jurisdiction, or shared with it (Stirling 1988).

The polar bear is economically important and ranks highest of all furbearers in the Northwest Territories (NWT) in average pelt price (NWT Department of Renewable Resources Fur Harvest Statistics, unpublished data). The polar bear fur harvest currently brings between five and six hundred thousand dollars per year into arctic communities. Outfitting and guiding non-Inuit polar bear hunters averages another six hundred and sixty thousand dollars (unpublished data). In some communities the meat is also consumed. A conservative annual replacement cost for this meat would be about one hundred and fifty thousand dollars. Guiding tourists for viewing polar bears and other wildlife is a growing industry in the NWT. A conservative estimate of the tourism value of polar bears to the NWT is two hundred thousand dollars per year. The total monetary value of polar bears is close to 1.7 million dollars annually.

Wildlife legislation in Canada did not address polar bear harvesting until 1935, when a hunting season from 1 October through 31 May was imposed. In 1949, hunting was restricted to native people (Urquhart and Schweinsburg 1984). Quotas for polar bears were introduced in 1967 and were based on the fur records from several preceding years.

Currently polar bears are listed by the Convention on International Trade in Endangered Species (CITES) in Appendix II and are classed as "Vulnerable" by the Committee on the Status of Endangered Wildlife in Canada (COSEWIC). The International Agreement on the Conservation of Polar Bears was signed by all 5 arctic nations (Stirling 1988).

Polar bear management in the NWT is based on inventory studies, harvest sex ratio, and population modelling (Taylor et al. 1987). Accurate recording of the harvest is essential to the species management. In particular, the sex composition of the harvest is a vital component in calculating the sustainable harvest. This paper summarizes the polar bear harvest over the last 30 years and focuses on specific aspects of the harvest from 1979/80 to 1989/90 in the NWT.

METHODS

Harvest Monitoring

In the early 1900s accurate information on the total kill of polar bears did not exist. Records from the Hudson Bay Company provided minimum estimates of the fur harvested and sold. The Royal Canadian Mounted Police detachments across the Arctic collected some information on numbers of bears killed. Harington (1961) summarized the polar bear harvest in Canada from 1950 to 1960. The Canadian Wildlife Service (CWS) also collected harvest data in the 1960s and 1970s in conjunction with research studies (Smith and Jonkel 1975, Smith and Stirling 1976, Smith 1977).

Data Collection

In the 1976/77 hunting season, the GNWT, Department of Renewable Resources (DRR) initiated a collection and monitoring program for the polar bear harvest within its jurisdiction. By the 1979/80 season, the program was producing consistent results. The present harvest analysis is based on 11 years of data collected through this program from 1979/80 to 1989/90.

The harvest program was organised to account for quota and non-quota polar bear kills. All bears taken are required to have a tag attached to the hide. Information was collected by Renewable Resource Officers in each community on tags used, date of kill, location, age, sex, and family status. Ages were determined from premolars extracted from the lower jaws (Stirling et al. 1977). Much of the information requested was not required by law, so initial participation was encouraged by a public relations program and by offering small rewards for data returns; $10.00 for each lower jaw and $25.00 for eartags from tagging studies. Compliance with the program became routine and returns with complete information averaged 90% (range 86% to 93%) during the sampling period.

Data Analysis

We divided the harvest into four major types for age and sex comparisons: regular, special, sport, and problem. The regular harvest is taken solely by Inuit and is not specifically targeted at any particular age or sex class. In contrast, the special quota was introduced primarily to select for large adult males. Sport hunting was also expected to favour trophy size males (Amstrup et al. 1986). In comparison, bears killed in conflict with humans (problem bears) tend to be younger animals (Stenhouse et al. 1988). Bears that were killed for reasons not fitting into any of the preceding categories consisted of animals killed illegally or for unknown reasons; these were lumped into a category referred to as miscellaneous.

Twelve populations, within or shared with the NWT, have been identified for management purposes (Figure 1) (Polar Bear Technical Committee 1988). Analysis of variance was used to examine the effect population, harvest type, and month had on the mean age of harvested bears. Where differences were indicated, means were examined using Duncan's Multiple Range test. To identify differences in sex composition related to harvest type, population, and month of kill, we compared 95% confidence intervals (Fleiss 1981). In the regular harvest category, trends in mean age, maximum age, percent female, and percent subadults were examined for each population over the sample period using linear regression. Statistical tests were by convention considered significant if $P \leq .05$.

The GNWT DRR license year runs from July 1 to June 30. For example, bears killed in the 1982/83 season were killed between July 1 1982 and June 30 1983. The polar bear hunting season runs from October 1 to May 31 within that license year. The harvest in this paper was summarized by hunting season such that the 86 season refers to the 1985/86 hunting season.



Figure 1. Polar bear populations within or shared with Canada.

RESULTS

Annual Harvest

Harvest Numbers

From a harvest of 320 bears in 1954, the kill increased to almost 700 in 1967/68 (Figure 2). The harvest dropped dramatically with the introduction of quotas, but slowly rose to another peak in 1982/83. Over the period of July 1 1980 to June 30 1990, 6279 polar bears (mean annual harvest of 571) were reported killed in the NWT. Of that harvest, 88.8% was attributable to indigenous Inuit hunters (10.3% special quota and 89.7% regular quota), 5.7% to non-native sport hunters, 5.2% to bears killed in defense of life or property (problem bears) and 0.3% to illegal and unknown factors. The mean annual harvest varied considerably among populations.

Sport Hunts

Sport hunting for polar bears began in 1969/70 with 3 hunts and gradually increased to an average of 66 over the last 5 seasons (85/86 to 89/90) (Figure 3). The maximum number of sport hunts in any one year was 83 and occurred in the 1987/88 season. Over the sampling period the success rate varied from 30% in 1979/80 to 91% in 1985/86 with an average over the last 5 seasons of 74%. During this same time period the proportion of quota tags used for the sport hunt averaged 10.6% annually. There is substantial economic



Figure 2. Numbers of polar bears killed in the NWT from 1953/54 to 1989/90. (modified from Urquhart and Schweinsburg 1984).



Figure 3. Polar bear sport hunts in the NWT from 1969/70 to 1989/90.

return to the community from these hunts both to the Hunters' and Trappers' Association/Committee and the local economy. The cost of a polar bear sport hunt in 1989/90 was approximately $15,000 Cdn. About two thirds of that remained in the community.

Problem Bears

Over the reporting period, 332 polar bears were killed in conflicts with people; 78 of these (24%) were included in community quotas. The annual number of problem bears ranged between 22 and 42, with a seasonal mean of 30.2. Fewer problem bears were killed per season during the last half of the monitoring period. During the last decade the number of these bears included in community quotas steadily increased from a low of 2% in 1979/80 to over 51% in 1987/88.

Family Groups

Most bears killed in the quota harvest were single animals, but occasionally (5%) bears were taken in family groups (female and cubs). From all populations, an average of 10 family groups were taken annually. Populations C, D1, and F accounted for 60% of these family groups. The other 9 populations harvested a mean of less than 1 family group each per year. Reliable reporting of family groups is not consistent and we consider this to be a minimum estimate.

Sex Composition

The sex composition of both native harvest classes favoured males (Figure 4) (regular harvest: 0.61 male, special harvest: 0.63 male) and were not significantly different ($P > 0.05$) from each other. The sex ratio of the problem kill was more skewed toward males, but was not significantly different from that of the native harvest. However, the sport harvest which was composed of 81% males was significantly different ($P < 0.05$) than all other harvest categories. Each harvest category was significantly different ($P < 0.05$) in sex composition from a sample (51% female, $n = 6018$) of captured bears 1 year or older from all locations across the Arctic (CWS and DRR unpublished data). This capture sample was not different from a 1:1 sex ratio. The proportion of females taken in the harvest was highest in the D1 population and lowest in A1 (Table 1). Sex composition of the harvest from all populations but D1 and G was significantly lower ($P < 0.05$) than 50% females.

Age of Harvest

The mean age of all four major harvest types were significantly different ($F = 20.17$; 3, 1462 df; $P = 0.0001$): regular, 6.5 years; special, 7.3 years; problem, 5.3 years; and sport, 9.0 years. The mean age of bears killed in the regular harvest from population E1 (7.6 years) was significantly higher ($F = 4.19$; 11, 4513 df; $P = 0.0001$) than that of bears harvested in population A1 (5.4 years) (Table 1). All other populations showed no



Figure 4. Proportion of female polar bears killed in the NWT from 1979/80 to 1989/90 represented in each of four harvest types .

Table 1. Age and sex composition of the polar bear harvest from 12 populations in the NWT over the period July 1, 1979 to June 30, 1990. [Data not from NWT was summarized for the most recent 5 year period reported from Born (1988), Schliebe (1988), and Calvert et al.(1988).]

Polar Bear Population	Mean Annual Harvest	Mean Age (n)	Percent Adult	Percent Female
A1	46	5.4 (352)	64.2	28.8
A2	68	5.9 (194)	46.8	31.3
C	142	6.6 (1257)	50.3	39.4
D1	44	5.9 (432)	53.3	46.3
D2	60	7.1 (263)	40.1	35.0
E1	19	7.6 (84)	37.7	36.6
E2	37	7.2 (341)	42.3	42.8
E3	40	7.2 (282)	48.6	41.5
F	101	7.2 (745)	43.9	32.4
G	43	6.4 (14)	50.0	40.0
H1	64	7.1 (318)	48.1	34.5
H2	38	6.6 (232)	47.7	41.3

significant difference in mean age of the regular quota harvest. To examine the age distribution of the harvest we grouped bears into three age classes: ages 0 to 4, subadults; 5 to 14, adults; and 15 or more, older adults. The age composition over all populations was 49% subadults, 40% adults, and 11% older adults. The proportion of subadults occurring in the harvest from A1 (67%) was significantly higher ($P < 0.05$) than that of any other population. There were no significant differences ($P > 0.05$) in the proportion of subadults

killed among any of the other populations. Other than A1, there was no significant difference in the proportion of adults in the kill. All populations had fewer than 15% older adults harvested.

Timing of the Harvest

Polar bears from the quota harvest were taken in all months of the hunting season, October through May. There was no significant difference in proportion of females taken by month. December showed the highest proportion of females (45%) and April the lowest (34%). Across the NWT, 46.7% of the bears killed were taken in spring (March - May), 30.7% in winter (December - February), and 22.6% in fall (October - November) (Figure 5). The mean age of bears taken in fall (5.9) was significantly lower ($F = 24.12$; 2, 4511 df; $P = 0.0001$) than those taken in winter (6.5) or spring (7.4). In each population, annual values for mean age, maximum age, percent subadults, and percent female in the harvest were examined for detectable trends over time. No significant trends were observed.



Figure 5. Percent of polar bears killed in each of three seasons in the polar bear harvest, 1979/80 to 1989/90.

DISCUSSION

Annual Harvest

Harvest Numbers

The harvest record from 1954 until the initiation of quotas was based on fur returns and export records. Harington (1961) estimated that during the 1950s 20% of the hides taken were retained for local use. Consequently, the fur records represent a minimum number of bears killed during the early period. As the Arctic became more heavily travelled and southern markets became more aware of polar bear hides, the commercial value of the hide began to outweigh the inclination for domestic use. After quotas began in 1967/68, the harvest was monitored in each community but there was no central depository for the information. Lack of government officials and the remoteness of most communities hindered collection and communication.

The recorded annual harvest fluctuated between 300 and 550 from 1954 to 1964, but began a steady rise in 1965. Factors that may have contributed to this increase include the advent of the snowmobile in the mid 1960s, the expansion of the market for hides, a rise in the value of polar bears hides and possibly the introduction of the NWT fur marketing system that facilitated hunters obtaining top price for their hides. Once quotas were instituted the harvest followed them closely. Occasions where the harvest exceeded the annual quota were normally caused by a greater number of problem bears being killed. As

efforts were made to have these bears included on the quota, over-quota harvests occurred less frequently. In 1985 a management agreement resulted in a harvest reduction of 45 bears in the D1 population. That drop in harvest affected the total NWT kill, keeping it well below the annual quota in the following years.

The quota steadily increased after its inception. Political pressure, a desire to move toward a renewable resource economy, and results from polar bear population inventory studies contributed to the increases. In the 1978/79 season, the largest increase occurred when the quota was increased by 12% due to the introduction of the special quota. The present quota has been in place since 1982.

Sport Hunt

Sport hunting for polar bears was originally expedited by the GNWT, but was turned over to private enterprise in the late 1970s. Records were kept for successful hunts, but tallies of unsuccessful hunts were not always attainable. During the first years of the harvest program, emphasis was placed on obtaining complete information from the actual kill. By the 1979/80 season accurate information on number of unsuccessful sport hunts was being collected.

Polar bear sport hunting began with experimental hunts involving two or three villages and has now expanded to many communities across the Arctic. These hunts are subject to certain restrictions: they must be guided by Inuit, they must use dog teams for the hunt, the tags used for the hunt must come from the community quota, and tags from

unsuccessful sport hunts may not be used again (NWT Wildlife Regulations). Although the number of hunts rose steadily through the early and mid-1980s, it has declined in the last several years. Sport hunters are known to select trophy animals, usually large adult males (Amstrup et al. 1986). Our sample indicated 26% of the sport hunts resulted in no bear being taken. From a conservation perspective, sport hunting may be preferable to the domestic harvest.

Problem Bears

Bears killed in conflicts with humans tend to be subadult males (Stenhouse et al. 1988). Similar trends in age and sex composition were also evident in our more recent data. The number of these bears killed per season was similar to Stenhouse et al. (1988).

Family Groups

The number of family groups killed is not large. Females with cubs having a stretched hide length of less than 1.5 meters in length are protected in the NWT (NWT Wildlife Regulations). However, females with cubs of the year occasionally are taken by hunters who, being unaware of the young bears, kill the mother, and are then compelled to kill the cubs. In other situations, cubs of the year are large enough in the early fall or winter to be considered legal. Sometimes females with yearlings are killed but the cubs are not. Although that is a legal practice, the cubs' chances for survival are greatly reduced (Stirling and Latour 1978).

Miscellaneous Harvest

Each year bears are killed for various reason that do not fit into any of the major harvest categories. Circumstances can range from an undersized bear being harvested and seized in an enforcement action, to a hunter killing a bear for humane reasons. Although that is a very small proportion of the actual harvest (0.3%), those bears are included in determining the sustainable harvest.

Age and Sex Composition

The sport hunt appears more effective at targeting the male portion of the population than the special quota introduced in 1978/79. Modelling demonstrated that in a long-lived, slow reproducing species like the polar bear the most critical portion of the population is the adult females (Taylor et al. 1987). The special quota was an attempt to target older, larger males. The tags from that quota were assigned to selected communities, were not to be used until January 1 with the intent of protecting females moving inland to den, were to be used for large males, and were in some cases restricted to specific geographic areas. Although the mean age of the special quota was significantly higher than the regular harvest, the sex ratios were not different (Figure 4). More older bears were killed, but not significantly more males.

The regular quota harvest was the least selective for males (61% males) of all harvest types, but was still significantly different ($P < 0.05$) from a 1:1 sex ratio (Figure 4). From

a sample covering several years and several areas across the Canadian Arctic, Harington estimated the sex ratio of the Inuit polar bear hunt at close to 1:1. He suggested that "Eskimos often have little choice with regard to sex or age composition of their kill once the sled dogs have caught bear scent" (Harington 1961). It may be that over the last 15-20 years the use of snowmobiles, and more recently, programs emphasizing protection of females have encouraged hunters to be more selective.

Harington (1961) also indicated that individual regions appeared to have varying degrees of preference or availability of certain age and sex classes. That tendency appears still to be valid as we found differences in sex composition among some of the polar bear populations. In some cases, such as the A1 population, polar bear hunting occurs in the fall, a time when subadult males are moving up the coast of Hudson Bay from northern Manitoba (Stirling et al. 1977). In that region females accounted for only 29% of the harvest. In contrast, population D1 revealed the highest proportion of females (46.3%) among all the populations. Much of the hunting in D1 occurs early in December before the Baffin Bay pack ice is complete. Bears, particularly females that will be denning, congregate along the coast and in the fiords. This may contribute to the higher prevalence of females in the harvest. The higher mean age observed in population E1 is probably a reflection of 33% of the harvest over the last decade being from sport hunting.

Timing of Harvest

Because of ice conditions, available daylight hours, seasonal temperatures, traditional hunting habits and distribution of bears, each community tends to have their own polar bear hunting pattern (Freeman 1976). However, communities sharing the same population usually harvest most of their bears in the same season. The chronology of the harvest appears not to have changed a great deal since it was described by Harington (1961). We found that the greatest number of bears were harvested during the spring with a second peak in fall. In some populations, such as A1 and C, which both showed a preponderance of kills in the fall, polar bears are not readily available in the spring or winter, but tend to congregate in coastal regions before and during freeze up. After a winter of darkness and extreme temperatures, the spring months provide good travel conditions, long daylight hours, and more moderate temperatures. The improved travelling in the spring probably also influences the hunters' selectivity. The increase in age observed in the spring may be a reflection of hunters spending more time looking for larger bears as opposed to taking the first one to appear in the headlight of a snowmobile.

Polar bear quotas were originally established and allocated by community. Thirty-one communities currently receive quotas; additionally, three separate geographic areas also receive a quota. The DRR is moving away from a community quota system toward population quotas based on sustainable harvest calculations (Taylor et al. 1987). The patterns of polar bear harvest in the NWT are unique to each community and each

population. Currently the DRR is attempting to develop Local Management Agreements between the communities that share a given population. These agreements are based in part on the harvest patterns for the communities and populations. Each agreement contains a clause to guarantee the continuation of the harvest reporting program. Miller (1990) reviewed several options for influencing the number and composition of the harvest. However, to attempt to manage local polar bear harvests other than by encouraging the taking of fewer females, more detailed analysis of the hunter/bear system for each hunting area would be required.

ACKNOWLEDGEMENTS

We would like to thank the polar bear hunters of the NWT for taking the extra effort to provide the samples and data we requested. Thanks to the many DRR officers, biologists, and technicians who have laboriously filled out data sheets and packed up boxes of polar bear jaws. The senior author wishes to express a special thanks to A. Sutherland whose meticulous record keeping, attention to detail and tenacity in tracking down missing information has provided a well organized and complete data base. The people at the CWS polar bear project in Edmonton have provided much support, assistance, and cooperation over the years. Finally, thanks to S. Schliebe, and 2 anonymous reviewers for comments on an earlier manuscript.

LITERATURE CITED

Amstrup, S., I. Stirling, and J. W. Lentfer. 1986. Past and present status of polar bears in Alaska. Wildl. Soc. Bull. 14:241-254.

Born, E. W. 1988. Polar bear research and management in Greenland 1985-88. Pages 25-33. Polar bears. Proc. Tenth Working Meet. IUCN/SSC. Sochi, USSR.

Calvert, W., I. Stirling, M. Taylor, J. Lee, G. B. Kolenosky, S. Kearney, M. Crete, B. Smith and S. Luttich. 1988. Polar bear management in Canada 1985-87. Pages 1-10. Polar bears. Proc. Tenth Working Meet. IUCN/SSC. Sochi, USSR.

Fleiss, J. L. 1981. Statistical methods for rates and proportions. John Wiley and Sons. New York. 321pp.

Freeman, M. R. 1976. Inuit land use and occupancy project report. Federal Dept. of Indian and Northern Affairs. Ottawa.

Harington, C. R. 1961. Some data on the polar bear and its utilization in the Canadian Arctic. Can. Wildl. Serv. Nat. Parks Branch, Dept. Northern Affairs Nat. Resources. Ottawa.

Miller, S. D. 1990. Population management of bears in North America. Proc. Int. Conf. Bear Res. and Manage. 8:357-373.

Polar Bear Technical Committee Minutes. 1988. Government of Northwest Territories, Department of Renewable Resources Files. Yellowknife, NWT.

Schliebe, S. 1988. Summary of polar bear management in Alaska. Pages 62-69. Polar bears. Proc. Tenth Working Meet. IUCN/SSC. Sochi, USSR.

Smith, P. A. and C. J. Jonkel. 1975. Resume of the trade in polar bear hides in Canada, 1972-73. Can Wildl. Serv. Prog. Notes No. 53. 8pp.

Smith, P. A. and I. Stirling. 1976. Resume of the trade in polar bear hides in Canada, 1974-75. Can. Wildl. Serv. Prog. Notes No. 66. 7pp.

Smith, P. A. 1977. Resume of the trade in polar bear hides in Canada, 1975-1976. Can. Wildl. Serv. Prog. Notes No. 82. 7pp.

Stenhouse, G. B., L. J. Lee, and K. G. Poole. 1988. Some characteristics of polar bears killed during conflicts with humans in the Northwest Territories, 1976-86. Arctic. 41:275-278.

Stirling, I. 1988. Polar bears. pp 209-211. Univ. Mich. Press. Ann Arbour.

Stirling, I, Jonkel, C., P. Smith, R. Robertson and D. Cross. 1977. The ecology of the polar bear (*Ursus maritimus*) along the western coast of Hudson Bay. Can. Wildl. Serv. Occ. Pap. 33. 64pp.

Stirling, I. and P. B. Latour. 1978. Comparative hunting abilities of polar bear cubs of different ages. Can. J. Zool. 56:1768-1772.

Taylor, M. K., D. DeMaster, and R. Schweinsburg. 1987. Modelling the sustainable harvest of female polar bears. J. Wildl. Manage. 51(4):811-820.

Urquhart, D. R. and R. E. Schweinsburg. 1984. Polar bear, life history and known distribution of polar bear in the Northwest Territories up to 1981. NWT Dept. Renew. Resources, Yellowknife, NWT.

APPENDIX. The NWT polar bear harvest from 1979/80 to 1989/90 by community.

The tables that follow have been generated by Dbase III+. The column titles are somewhat cryptic, consequently the following list further explains the categories presented.

Column 1 SEASON...July 1 to June 30. 87 indicates the 1986/87 season.
Column 2 REGULAR KILL...Bear taken on the regular (silver tag) quota
Column 3 RED TAG KILL...Bear taken on the special (red tag) quota
Column 4 PROBLEM KILL...Bear killed as a problem, nuisance, or in defense.
Column 5 MISC KILL...Bear killed for various non harvest reasons.
Column 6 SPORT KILL...Bear taken on either the regular or special quota by sports hunter
Column 7 ILLEGAL KILL...Bears that have been seized in an enforcement action over and above the quota.
Column 8 UNKNOWN KILL...Bears killed for unknown reasons.
Column 9 TOTAL...Sum of the 5 preceding columns.
Column 10 PROBLEM KILL...Problem kills that are taken off the quota. These are included in column 4 PROBLEM KILL.
Column 11 FAMILY GROUPS...Number of family groups reported in the harvest.
Column 12 MALES...Number of males occurring in the harvest.
Column 13 FEMALES...Number of females occurring in the harvest.
Column 14 SUBADULT...Number of subadults occurring in the harvest
Column 15 ADULTS...Number of adults occurring in the harvest
Column 16 MEAN AGE...Mean age of bears harvested.
Column 17 MAX AGE...Maximum age of harvested bears.
Column 18 MIN AGE...Minimum age of harvested bears. Zero designates a cub of the year.

Last row of each table is a weighted mean of the 11 seasons reported.

AKLAVIK

06/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	0.0	1.0	0.0	0.0	0.0	0:0	0.0	1.0	0.0	0.0	0.0	1.0	1.0	0.0	3.0	3.0	3.0
82	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	10.0	10.0	10.0
83	0.0	5.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	3.0	1.0	3.0	2.0	7.4	16.0	3.0
84	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	
85	0.0	1.0	1.0	0.0	0.0	0.0	0.0	2.0	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	
86	3.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	3.0	8.7	15.0	5.0
87	4.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	4.0	0.0	2.0	1.0	6.7	14.0	2.0
88	5.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	2.0	3.0	2.0	3.0	7.8	13.0	2.0
89	4.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	3.0	0.0	1.0	1.0	12.5	21.0	4.0
90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	3.0	1.0	2.0	8.7	15.0	4.0
0	1.7	0.8	0.1	0.0	0.0	0.0	0.0	2.6	0.1	0.0	1.6	0.8	0.9	1.2	8.1	21.0	2.0

ARCTIC,BAY

06/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	12.0	4.0	6.0	0.0	0.0	0.0	0.0	22.0	0.0	2.0	14.0	8.0	7.0	14.0	7.9	18.0	1.0
81	12.0	4.0	1.0	0.0	0.0	0.0	0.0	17.0	0.0	0.0	13.0	4.0	6.0	11.0	9.5	22.0	2.0
82	8.0	4.0	5.0	0.0	3.0	0.0	0.0	20.0	0.0	1.0	17.0	3.0	7.0	13.0	6.9	20.0	1.0
83	8.0	4.0	3.0	0.0	2.0	0.0	0.0	17.0	1.0	0.0	14.0	3.0	7.0	7.0	7.6	18.0	2.0
84	8.0	4.0	1.0	0.0	3.0	0.0	0.0	16.0	0.0	0.0	4.0	1.0	1.0	4.0	8.2	15.0	1.0
85	8.0	4.0	1.0	0.0	3.0	0.0	0.0	16.0	0.0	0.0	12.0	4.0	8.0	7.0	7.9	24.0	2.0
86	8.0	4.0	3.0	0.0	4.0	0.0	0.0	19.0	0.0	0.0	10.0	6.0	3.0	12.0	9.6	21.0	1.0
87	12.0	0.0	1.0	0.0	3.0	0.0	0.0	16.0	0.0	0.0	14.0	2.0	11.0	2.0	4.7	20.0	1.0
88	12.0	0.0	0.0	0.0	4.0	0.0	0.0	16.0	0.0	0.0	12.0	4.0	10.0	6.0	5.9	17.0	2.0
89	12.0	0.0	0.0	0.0	3.0	0.0	0.0	15.0	0.0	0.0	5.0	10.0	7.0	8.0	6.8	16.0	1.0
90	12.0	0.0	0.0	0.0	4.0	0.0	0.0	16.0	0.0	0.0	12.0	4.0	9.0	6.0	7.1	20.0	1.0
0	10.2	2.5	1.9	0.0	2.6	0.0	0.0	17.3	0.1	0.3	11.5	4.5	6.9	8.2	7.5	24.0	0.0

BAKER

06/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
85	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.0	0.0	1.0	1.0	10.0	18.0	2.0
86	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	1.0	16.0	16.0	16.0
87	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	1.0	17.0	17.0	17.0
88	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	1.0	0.0	2.0	2.0	2.0
89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.0	1.0	0.0	2.0	2.0	2.0
0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.4	0.2	0.3	0.3	7.6	18.0	0.0

BROUGHTON

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	22.0	0.0	4.0	0.0	0.0	0.0	0.0	26.0	0.0	0.0	13.0	6.0	6.0	12.0	6.0	13.0	1.0
81	22.0	0.0	5.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	17.0	9.0	13.0	7.0	4.3	12.0	1.0
82	21.0	0.0	2.0	0.0	0.0	0.0	0.0	23.0	0.0	0.0	13.0	10.0	10.0	10.0	7.1	19.0	3.0
83	18.0	0.0	4.0	0.0	0.0	0.0	0.0	22.0	4.0	1.0	11.0	7.0	2.0	1.0	4.7	10.0	2.0
84	21.0	0.0	1.0	0.0	0.0	0.0	0.0	22.0	0.0	1.0	9.0	12.0	15.0	6.0	4.0	9.0	1.0
85	17.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	0.0	8.0	9.0	10.0	6.0	6.1	19.0	1.0
86	10.0	0.0	1.0	1.0	0.0	0.0	0.0	12.0	0.0	0.0	7.0	3.0	5.0	4.0	4.7	12.0	2.0
87	9.0	0.0	2.0	0.0	1.0	0.0	0.0	12.0	0.0	0.0	8.0	3.0	1.0	2.0	7.7	12.0	0.0
88	6.0	0.0	4.0	0.0	1.0	0.0	0.0	11.0	3.0	0.0	6.0	5.0	2.0	5.0	8.7	22.0	1.0
89	9.0	0.0	1.0	0.0	1.0	0.0	0.0	11.0	0.0	0.0	7.0	4.0	4.0	5.0	7.9	21.0	2.0
90	7.0	0.0	2.0	0.0	1.0	0.0	0.0	10.0	2.0	0.0	9.0	1.0	2.0	8.0	11.0	25.0	3.0
0	14.7	0.0	2.4	0.1	0.4	0.0	0.0	17.5	0.8	0.2	9.8	6.3	6.4	6.0	7.0	25.0	0.0

CAMBRIDGE

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	10.0	3.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	8.0	5.0	1.0	10.0	11.5	32.0	3.0
81	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	10.0	5.0	4.0	11.0	8.5	17.0	3.0
82	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	7.0	7.0	4.0	8.0	8.3	29.0	3.0
83	11.0	5.0	0.0	1.0	0.0	0.0	0.0	17.0	0.0	0.0	12.0	5.0	7.0	10.0	5.8	14.0	2.0
84	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	12.0	3.0	3.0	11.0	7.6	14.0	2.0
85	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	6.0	3.0	6.0	3.0	4.6	11.0	2.0
86	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	4.0	3.0	3.0	4.0	10.4	30.0	3.0
87	10.0	4.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	7.0	7.0	9.0	5.0	7.5	28.0	2.0
88	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	1.0	8.0	6.0	7.0	7.0	8.9	27.0	2.0
89	8.0	4.0	1.0	0.0	0.0	0.0	0.0	13.0	1.0	0.0	5.0	8.0	6.0	7.0	6.9	16.0	1.0
90	10.0	3.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	1.0	7.0	6.0	5.0	8.0	6.4	13.0	2.0
0	9.4	3.5	0.1	0.1	0.0	0.0	0.0	13.1	0.1	0.2	7.8	5.3	5.0	7.6	7.2	32.0	0.0

CHESTERFIELD

30/93

SUMMARY OF POLAR BEAR HUNTER KILL

EASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	8.0	0.0	2.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	6.0	3.0	6.0	3.0	4.1	11.0	2.0
81	8.0	2.0	1.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	8.0	1.0	3.0	5.0	8.1	24.0	2.0
82	7.0	3.0	1.0	0.0	0.0	0.0	0.0	11.0	1.0	0.0	6.0	4.0	8.0	2.0	3.4	10.0	1.0
83	8.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	4.0	4.0	5.0	1.0	3.3	7.0	1.0
84	8.0	3.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	5.0	6.0	7.0	4.0	7.3	23.0	1.0
85	8.0	2.0	1.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	6.0	3.0	6.0	5.0	5.8	14.0	2.0
86	8.0	0.0	2.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	3.0	5.0	3.0	5.0	8.9	21.0	1.0
87	8.0	3.0	1.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	5.0	6.0	8.0	3.0	5.1	17.0	1.0
88	7.0	1.0	1.0	0.0	0.0	0.0	0.0	9.0	1.0	0.0	6.0	3.0	2.0	5.0	9.3	21.0	2.0
89	8.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	5.0	3.0	3.0	4.0	8.7	20.0	2.0
90	8.0	1.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	5.0	4.0	5.0	4.0	6.3	15.0	1.0
0	7.8	1.4	0.8	0.0	0.0	0.0	0.0	10.0	0.2	0.0	5.4	3.8	5.1	3.7	7.1	24.0	0.0

CLYDE

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	45.0	0.0	4.0	0.0	0.0	0.0	0.0	49.0	0.0	5.5	26.0	21.0	21.0	28.0	7.4	25.0	2.0
81	45.0	0.0	3.0	0.0	0.0	0.0	0.0	48.0	0.0	2.0	27.0	21.0	27.0	19.0	5.4	21.0	1.0
82	45.0	0.0	6.0	0.0	0.0	0.0	0.0	51.0	0.0	5.0	24.0	27.0	21.0	28.0	6.1	25.0	0.0
83	45.0	0.0	5.0	1.0	0.0	1.0	0.0	52.0	0.0	7.7	19.0	30.0	20.0	29.0	6.0	16.0	1.0
84	41.0	0.0	3.0	1.0	1.0	0.0	0.0	46.0	0.0	5.0	20.0	26.0	30.0	15.0	4.6	22.0	0.0
85	40.0	0.0	0.0	0.0	1.0	0.0	0.0	41.0	0.0	1.0	20.0	21.0	22.0	19.0	5.5	23.0	1.0
86	12.0	0.0	4.0	0.0	0.0	0.0	0.0	16.0	2.0	1.0	9.0	7.0	7.0	9.0	8.7	25.0	1.0
87	8.0	0.0	6.0	0.0	1.0	0.0	0.0	15.0	5.0	0.5	8.0	7.0	7.0	4.0	4.4	16.0	1.0
88	12.0	0.0	3.0	0.0	0.0	0.0	0.0	15.0	3.0	1.0	7.0	8.0	8.0	4.0	4.6	12.0	0.0
89	10.0	0.0	4.0	0.0	1.0	0.0	0.0	15.0	4.0	0.0	9.0	6.0	11.0	2.0	4.3	17.0	1.0
90	12.0	0.0	2.0	1.0	2.0	0.0	0.0	17.0	1.0	0.0	8.0	9.0	8.0	4.0	3.6	9.0	0.0
0	28.6	0.0	3.6	0.3	0.5	0.1	0.0	33.2	1.4	2.6	16.1	16.6	16.5	14.6	6.6	25.0	0.0

COPPERMINE

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	2.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	1.0	2.0	1.0	1.0	6.0	8.0	4.0
81	2.0	3.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	3.0	2.0	0.0	5.0	6.6	10.0	5.0
82	1.0	1.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	1.0	1.0	1.0	8.0	13.0	3.0
83	2.0	4.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	1.0	5.0	4.0	2.0	6.0	14.0	2.0
84	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	1.0	1.0	1.0	5.5	7.0	4.0
85	2.0	2.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	1.0	3.0	4.0	0.0	3.5	4.0	3.0
86	2.0	2.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	2.0	2.0	2.0	2.0	7.2	16.0	2.0
87	2.0	4.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	2.0	4.0	4.0	2.0	8.3	24.0	2.0
88	0.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	1.0	0.0	2.0	8.5	9.0	8.0
89	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.0	0.0	2.0	0.0	3.5	4.0	3.0
90	4.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	2.0	2.0	2.0	1.0	3.7	7.0	2.0
0	1.9	1.7	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	1.5	2.1	1.9	1.5	6.6	24.0	0.0

CORAL

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	65.0	0.0	1.0	0.0	0.0	0.0	0.0	66.0	0.0	0.0	49.0	17.0	18.0	29.0	7.8	22.0	0.0
81	65.0	0.0	1.0	0.0	0.0	0.0	0.0	66.0	0.0	0.0	39.0	27.0	41.0	23.0	4.9	19.0	0.0
82	64.0	0.0	2.0	0.0	0.0	0.0	0.0	66.0	0.0	0.0	38.0	28.0	40.0	25.0	4.6	18.0	0.0
83	66.0	0.0	1.0	0.0	0.0	0.0	0.0	67.0	0.0	0.0	46.0	20.0	31.0	34.0	6.2	23.0	0.0
84	65.0	0.0	0.0	0.0	0.0	0.0	0.0	65.0	0.0	1.0	44.0	21.0	27.0	36.0	6.8	19.0	1.0
85	64.0	0.0	0.0	1.0	0.0	0.0	0.0	65.0	0.0	0.0	40.0	23.0	27.0	29.0	6.9	23.0	0.0
86	63.0	0.0	1.0	0.0	0.0	0.0	0.0	64.0	0.0	0.0	29.0	32.0	30.0	27.0	7.6	27.0	2.0
87	57.0	0.0	0.0	0.0	3.0	0.0	0.0	60.0	0.0	0.0	35.0	24.0	15.0	42.0	9.9	27.0	2.0
88	57.0	0.0	2.0	0.0	1.0	0.0	0.0	60.0	0.0	0.0	37.0	22.0	20.0	31.0	7.8	22.0	0.0
89	60.0	0.0	1.0	0.0	5.0	0.0	0.0	66.0	0.0	0.0	43.0	21.0	22.0	28.0	7.4	24.0	2.0
90	56.0	0.0	0.0	1.0	6.0	0.0	0.0	63.0	0.0	3.3	45.0	18.0	17.0	40.0	9.3	22.0	1.0
0	62.0	0.0	0.8	0.2	1.4	0.0	0.0	64.4	0.0	0.4	40.5	23.0	26.2	31.3	6.8	27.0	0.0

DORSET

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	10.0	0.0	1.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	8.0	3.0	5.0	5.0	5.1	14.0	1.0
81	9.0	0.0	3.0	0.0	0.0	0.0	0.0	12.0	1.0	1.0	8.0	4.0	6.0	5.0	5.7	20.0	1.0
82	10.0	0.0	3.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	9.0	4.0	4.0	7.0	8.7	24.0	3.0
83	10.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	6.0	3.0	7.0	3.0	4.0	9.0	1.0
84	10.0	0.0	3.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	5.0	8.0	11.0	2.0	4.1	15.0	1.0
85	9.0	0.0	2.0	0.0	0.0	0.0	0.0	11.0	0.0	3.0	4.0	6.0	6.0	3.0	4.0	16.0	0.0
86	8.0	0.0	1.0	0.0	2.0	1.0	0.0	12.0	0.0	0.0	9.0	3.0	7.0	5.0	8.0	20.0	2.0
87	10.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	5.0	5.0	3.0	4.0	9.0	26.0	1.0
88	8.0	0.0	0.0	0.0	2.0	0.0	0.0	10.0	0.0	1.0	6.0	4.0	6.0	4.0	5.8	20.0	1.0
89	8.0	0.0	2.0	0.0	1.0	0.0	0.0	11.0	0.0	0.0	7.0	4.0	4.0	7.0	5.2	10.0	2.0
90	8.0	0.0	3.0	0.0	0.0	0.0	0.0	11.0	2.0	1.5	6.0	5.0	8.0	3.0	4.9	20.0	1.0
0	9.1	0.0	1.6	0.0	0.5	0.1	0.0	11.3	0.3	0.6	6.6	4.5	6.1	4.4	6.7	26.0	0.0

ESKIMO,PT

730/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	15.0	0.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	10.0	5.0	11.0	4.0	3.1	6.0	2.0
81	15.0	4.0	3.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	10.0	11.0	16.0	4.0	4.8	22.0	1.0
82	15.0	5.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	15.0	5.0	15.0	5.0	5.0	21.0	0.0
83	15.0	7.0	0.0	0.0	0.0	0.0	0.0	22.0	0.0	0.0	16.0	6.0	16.0	6.0	4.9	20.0	1.0
84	15.0	7.0	1.0	0.0	0.0	0.0	0.0	23.0	0.0	0.0	21.0	1.0	11.0	8.0	7.7	21.0	1.0
85	15.0	5.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	16.0	4.0	14.0	5.0	4.7	20.0	1.0
86	15.0	7.0	3.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	21.0	4.0	17.0	8.0	6.4	23.0	0.0
87	15.0	8.0	0.0	0.0	0.0	0.0	0.0	23.0	0.0	0.0	12.0	11.0	12.0	11.0	6.8	21.0	1.0
88	13.0	7.0	1.0	0.0	1.0	0.0	0.0	22.0	0.0	0.0	15.0	7.0	13.0	9.0	4.5	15.0	1.0
89	15.0	4.0	0.0	0.0	0.0	0.0	0.0	19.0	0.0	1.0	13.0	6.0	14.0	5.0	5.7	21.0	1.0
90	15.0	6.0	0.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	13.0	6.0	18.0	2.0	2.7	9.0	1.0
0	14.8	5.5	0.7	0.0	0.1	0.0	0.0	21.1	0.0	0.1	14.7	6.0	14.3	6.1	6.5	23.0	0.0

GJOA

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	9.0	5.0	1.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	12.0	3.0	5.0	9.0	8.6	22.0	1.0
81	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	8.0	6.0	6.0	8.0	8.9	22.0	2.0
82	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	7.0	7.0	4.0	9.0	5.7	11.0	2.0
83	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	3.0	10.0	7.0	6.0	5.1	13.0	1.0
84	9.0	4.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	9.0	4.0	4.0	8.0	8.8	17.0	1.0
85	8.0	4.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	7.0	5.0	3.0	8.0	6.7	14.0	3.0
86	8.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	5.0	3.0	4.0	3.0	7.3	20.0	3.0
87	4.0	4.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	4.0	4.0	5.0	3.0	4.5	11.0	1.0
88	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	1.0	5.0	9.0	8.0	6.0	5.9	17.0	1.0
89	9.0	5.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	1.0	5.0	9.0	2.0	12.0	9.6	23.0	1.0
90	8.0	2.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	3.0	4.0	6.0	6.0	4.0	5.3	14.0	1.0
0	8.3	4.0	0.1	0.0	0.0	0.0	0.0	12.4	0.0	0.5	6.3	6.0	4.9	6.9	6.6	23.0	0.0

GRISE

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	33.0	0.0	1.0	0.0	0.0	0.0	0.0	34.0	0.0	0.0	15.0	6.0	11.0	9.0	5.5	22.0	2.0
81	33.0	0.0	0.0	0.0	0.0	0.0	0.0	33.0	0.0	0.0	12.0	16.0	11.0	16.0	7.4	20.0	2.0
82	29.0	0.0	4.0	0.0	1.0	0.0	0.0	34.0	2.0	2.0	20.0	13.0	10.0	12.0	6.2	15.0	2.0
83	34.0	0.0	0.0	0.0	0.0	0.0	0.0	34.0	0.0	1.0	15.0	10.0	15.0	8.0	4.6	11.0	1.0
84	31.0	0.0	0.0	0.0	2.0	0.0	0.0	33.0	0.0	0.0	25.0	8.0	6.0	13.0	6.7	19.0	2.0
85	31.0	0.0	1.0	0.0	2.0	0.0	0.0	34.0	0.0	0.0	21.0	12.0	12.0	14.0	9.5	24.0	1.0
86	29.0	0.0	0.0	0.0	4.0	0.0	0.0	33.0	0.0	0.0	21.0	10.0	9.0	12.0	7.3	31.0	2.0
87	25.0	0.0	0.0	0.0	7.0	0.0	0.0	32.0	0.0	0.0	24.0	7.0	7.0	15.0	8.7	28.0	2.0
88	22.0	0.0	0.0	0.0	6.0	0.0	0.0	28.0	0.0	0.0	23.0	2.0	9.0	10.0	6.7	23.0	1.0
89	26.0	0.0	1.0	0.0	3.0	0.0	0.0	30.0	1.0	1.0	22.0	8.0	11.0	18.0	6.7	17.0	2.0
90	26.0	0.0	0.0	0.0	4.0	0.0	0.0	30.0	0.0	0.0	22.0	8.0	7.0	12.0	9.2	28.0	1.0
0	29.0	0.0	0.6	0.0	2.6	0.0	0.0	32.3	0.3	0.4	20.0	9.1	9.8	12.6	6.6	31.0	0.0

HADLEY,BAY

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	4.0	4.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	3.0	5.0	4.0	4.0	8.1	22.0	2.0
82	4.0	4.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	7.0	1.0	4.0	4.0	6.8	16.0	4.0
83	3.0	4.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	4.0	3.0	4.0	3.0	5.1	18.0	1.0
84	4.0	2.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	5.0	1.0	5.0	1.0	4.7	17.0	2.0
85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
86	4.0	1.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	3.0	2.0	2.0	2.0	6.0	10.0	3.0
87	3.0	2.0	0.0	0.0	3.0	0.0	0.0	8.0	0.0	0.0	7.0	1.0	2.0	1.0	7.3	16.0	2.0
88	0.0	1.0	0.0	0.0	6.0	0.0	0.0	7.0	0.0	0.0	7.0	0.0	2.0	3.0	9.2	22.0	3.0
89	0.0	0.0	0.0	0.0	8.0	0.0	0.0	8.0	0.0	0.0	5.0	1.0	1.0	7.0	13.5	21.0	3.0
90	2.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	3.0	0.0	0.0	3.0	11.0	14.0	7.0
0	2.2	1.7	0.0	0.0	1.5	0.0	0.0	5.5	0.0	0.0	4.0	1.3	2.2	2.5	6.7	22.0	0.0

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	4.0	2.0	2.0	4.0	10.8	23.0	2.0
81	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	6.0	1.0	1.0	5.0	5.8	10.0	4.0
82	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	6.0	1.0	3.0	4.0	5.7	11.0	3.0
83	7.0	0.0	1.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	6.0	2.0	3.0	4.0	4.6	8.0	0.0
84	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	1.0	2.0	5.0	5.0	1.0	2.3	5.0	0.0
85	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	2.0	5.0	2.0	4.0	5.2	9.0	2.0
86	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	5.0	2.0	5.0	2.0	4.6	10.0	2.0
87	7.0	0.0	0.0	0.0	0.0	1.0	0.0	8.0	0.0	0.0	5.0	2.0	2.0	3.0	10.4	26.0	2.0
88	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	1.0	3.0	4.0	5.0	1.0	2.7	9.0	0.0
89	7.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	0.0	1.0	3.0	4.0	5.0	2.0	5.3	20.0	0.0
90	6.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	3.0	3.0	2.0	0.0	3.5	4.0	3.0
0	6.9	0.0	0.1	0.0	0.0	0.1	0.0	7.1	0.0	0.3	4.1	2.8	3.2	2.7	6.6	26.0	0.0

HOLMAN

06/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	11.0	4.0	0.0	0.0	2.0	0.0	0.0	17.0	0.0	0.0	9.0	6.0	8.0	8.0	5.9	17.0	1.0
81	10.0	2.0	0.0	0.0	2.0	0.0	0.0	14.0	0.0	0.0	5.0	8.0	2.0	8.0	6.8	12.0	2.0
82	10.0	4.0	0.0	0.0	2.0	0.0	0.0	16.0	0.0	0.0	12.0	3.0	5.0	6.0	6.5	14.0	2.0
83	11.0	4.0	0.0	0.0	4.0	0.0	0.0	19.0	0.0	0.0	12.0	7.0	11.0	6.0	6.0	16.0	2.0
84	13.0	1.0	1.0	0.0	2.0	1.0	0.0	18.0	0.0	0.0	12.0	4.0	10.0	8.0	4.3	13.0	1.0
85	10.0	4.0	0.0	0.0	3.0	0.0	0.0	17.0	0.0	0.0	8.0	8.0	8.0	5.0	6.6	20.0	2.0
86	19.0	0.0	0.0	0.0	0.0	0.0	0.0	19.0	0.0	1.0	8.0	11.0	11.0	8.0	6.2	19.0	2.0
87	10.0	0.0	1.0	0.0	8.0	0.0	0.0	19.0	0.0	0.0	11.0	7.0	6.0	8.0	6.1	17.0	1.0
88	7.0	0.0	2.0	0.0	6.0	0.0	0.0	15.0	2.0	2.0	6.0	7.0	3.0	7.0	8.8	24.0	1.0
89	17.0	0.0	0.0	0.0	2.0	0.0	0.0	19.0	0.0	0.0	8.0	11.0	8.0	10.0	7.2	15.0	2.0
90	14.0	0.0	2.0	0.0	4.0	0.0	0.0	20.0	2.0	5.0	6.0	14.0	10.0	9.0	7.1	25.0	0.0
0	12.0	1.7	0.5	0.0	3.2	0.1	0.0	17.5	0.4	0.7	8.8	7.8	7.5	7.5	6.6	25.0	0.0

IGLOOLIK

06/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	19.0	0.0	0.0	0.0	0.0	0.0	0.0	19.0	0.0	0.0	8.0	8.0	5.0	8.0	7.5	22.0	1.0
81	18.0	0.0	1.0	0.0	0.0	0.0	0.0	19.0	0.0	2.0	9.0	10.0	8.0	7.0	5.3	24.0	1.0
82	16.0	0.0	3.0	0.0	0.0	0.0	0.0	19.0	2.0	0.0	9.0	10.0	6.0	12.0	6.5	16.0	3.0
83	18.0	0.0	7.0	0.0	0.0	0.0	0.0	25.0	0.0	2.0	13.0	12.0	12.0	12.0	5.1	17.0	0.0
84	16.0	0.0	0.0	0.0	2.0	1.0	0.0	19.0	0.0	1.0	14.0	5.0	10.0	6.0	5.2	16.0	1.0
85	16.0	0.0	0.0	0.0	1.0	0.0	0.0	17.0	0.0	0.0	13.0	4.0	7.0	6.0	9.2	25.0	2.0
86	17.0	0.0	2.0	0.0	0.0	0.0	0.0	19.0	1.0	0.0	13.0	6.0	7.0	10.0	11.6	29.0	2.0
87	16.0	0.0	0.0	0.0	2.0	0.0	0.0	18.0	0.0	0.0	11.0	7.0	9.0	6.0	7.5	21.0	2.0
88	15.0	0.0	1.0	0.0	3.0	0.0	0.0	19.0	0.0	0.0	14.0	5.0	8.0	10.0	6.5	16.0	1.0
89	15.0	0.0	1.0	0.0	2.0	0.0	0.0	18.0	1.0	0.0	14.0	4.0	7.0	9.0	6.9	28.0	3.0
90	16.0	0.0	0.0	0.0	2.0	0.0	0.0	18.0	0.0	0.0	11.0	7.0	9.0	7.0	7.1	17.0	1.0
0	16.5	0.0	1.4	0.0	1.1	0.1	0.0	19.1	0.4	0.5	11.7	7.1	8.0	8.5	6.6	29.0	0.0

INUVIK

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
83	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
86	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
88	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	1.0	0.0	4.0	4.0	4.0
89	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	1.0	24.0	24.0	24.0
0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.1	0.1	6.7	24.0	0.0

IQALUIT

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	13.0	0.0	1.0	0.0	1.0	0.0	0.0	15.0	0.0	0.0	13.0	2.0	3.0	11.0	7.9	20.0	4.0
81	13.0	0.0	1.0	1.0	4.0	0.0	0.0	19.0	0.0	1.0	14.0	4.0	6.0	12.0	6.9	19.0	2.0
82	11.0	0.0	2.0	0.0	5.0	0.0	0.0	18.0	1.0	0.0	15.0	3.0	3.0	8.0	9.6	22.0	3.0
83	11.0	0.0	2.0	0.0	6.0	0.0	0.0	19.0	0.0	0.0	14.0	5.0	6.0	12.0	6.7	15.0	2.0
84	11.0	0.0	0.0	0.0	6.0	0.0	0.0	17.0	0.0	0.0	15.0	1.0	8.0	9.0	6.6	21.0	1.0
85	13.0	0.0	0.0	0.0	5.0	0.0	0.0	18.0	0.0	0.0	13.0	4.0	5.0	12.0	11.3	25.0	2.0
86	10.0	0.0	3.0	0.0	5.0	0.0	0.0	18.0	0.0	0.0	14.0	4.0	7.0	11.0	7.9	22.0	2.0
87	11.0	0.0	1.0	0.0	4.0	0.0	1.0	17.0	1.0	0.0	13.0	3.0	6.0	11.0	7.5	19.0	2.0
88	12.0	0.0	0.0	0.0	5.0	0.0	0.0	17.0	0.0	0.0	12.0	5.0	7.0	9.0	7.8	23.0	2.0
89	10.0	0.0	5.0	0.0	7.0	0.0	0.0	22.0	0.0	1.0	14.0	6.0	7.0	13.0	9.1	20.0	0.0
90	9.0	0.0	1.0	0.0	5.0	0.0	0.0	15.0	0.0	0.5	10.0	3.0	3.0	6.0	9.3	22.0	3.0
0	11.3	0.0	1.5	0.1	4.8	0.0	0.1	17.7	0.2	0.2	13.4	3.6	5.5	10.4	6.7	25.0	0.0

LAKE,HBR

/30/93

·SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	5.0	8.0	5.0	8.0	5.7	18.0	1.0
81	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	7.0	6.0	6.0	7.0	8.1	22.0	2.0
82	13.0	0.0	0.0	0.0	0.0	1.0	0.0	14.0	0.0	1.0	8.0	6.0	4.0	9.0	7.5	16.0	2.0
83	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	6.0	7.0	5.0	8.0	6.6	22.0	1.0
84	12.0	0.0	1.0	0.0	0.0	0.0	0.0	13.0	1.0	0.0	8.0	5.0	8.0	4.0	5.3	16.0	2.0
85	14.0	0.0	1.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	11.0	4.0	8.0	6.0	7.4	24.0	2.0
86	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	12.0	1.0	8.0	5.0	4.2	11.0	1.0
87	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	7.0	2.0	6.0	2.0	3.9	5.0	3.0
88	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	8.0	5.0	9.0	3.0	3.2	6.0	0.0
89	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	8.0	5.0	6.0	7.0	7.5	20.0	1.0
90	13.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	2.0	4.0	9.0	6.0	6.0	6.1	22.0	0.0
0	12.7	0.0	0.2	0.0	0.0	0.1	0.0	13.0	0.1	0.3	7.6	5.3	6.5	5.9	6.7	24.0	0.0

MELVILLE

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	4.0	8.0	3.0	9.0	7.9	20.0	2.0
81	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	6.0	6.0	3.0	9.0	7.3	26.0	2.0
82	9.0	0.0	0.0	0.0	3.0	0.0	0.0	12.0	0.0	0.0	7.0	4.0	3.0	5.0	8.5	18.0	2.0
83	1.0	0.0	0.0	0.0	7.0	0.0	0.0	8.0	0.0	0.0	5.0	2.0	0.0	3.0	7.0	9.0	5.0
84	0.0	0.0	0.0	0.0	7.0	0.0	0.0	7.0	0.0	0.0	2.0	5.0	1.0	3.0	6.0	8.0	3.0
85	0.0	0.0	1.0	0.0	1.0	0.0	0.0	2.0	1.0	0.0	2.0	0.0	2.0	0.0	4.0	4.0	4.0
86	9.0	0.0	0.0	0.0	3.0	0.0	0.0	12.0	0.0	0.0	7.0	5.0	5.0	4.0	6.4	15.0	2.0
87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
88	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	7.0	5.0	2.0	10.0	9.7	22.0	3.0
89	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	1.0	6.0	6.0	5.0	7.0	6.5	15.0	3.0
90	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	90.0
0	6.3	0.0	0.1	0.0	1.9	0.0	0.0	8.3	0.1	0.1	4.4	3.7	2.2	4.5	6.7	26.0	0.0

PANGNIRTUNG

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	14.0	0.0	2.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0	8.0	7.0	7.0	6.0	6.7	16.0	2.0
81	14.0	0.0	1.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	6.0	9.0	7.0	7.0	4.9	10.0	2.0
82	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	7.0	7.0	5.0	9.0	6.4	15.0	2.0
83	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	1.0	11.0	3.0	5.0	7.0	5.5	9.0	2.0
84	14.0	0.0	1.0	0.0	0.0	0.0	0.0	15.0	0.0	1.0	8.0	7.0	9.0	6.0	4.9	10.0	1.0
85	13.0	0.0	1.0	0.0	1.0	0.0	0.0	15.0	0.0	1.0	8.0	7.0	7.0	8.0	4.9	12.0	1.0
86	14.0	0.0	2.0	0.0	0.0	1.0	0.0	17.0	0.0	0.0	6.0	11.0	7.0	8.0	8.5	24.0	2.0
87	12.0	0.0	1.0	0.0	2.0	0.0	0.0	15.0	0.0	0.0	11.0	4.0	3.0	9.0	10.3	21.0	3.0
88	11.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	0.0	0.0	5.0	5.0	5.0	5.0	7.1	19.0	1.0
89	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	5.0	9.0	5.0	7.0	7.7	18.0	2.0
90	11.0	0.0	2.0	0.0	2.0	0.0	0.0	15.0	1.0	1.0	7.0	8.0	4.0	7.0	7.2	25.0	2.0
0	13.2	0.0	0.9	0.0	0.5	0.1	0.0	14.6	0.1	0.4	7.5	7.0	5.8	7.2	6.7	25.0	0.0

PAULATUK

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.0	0.0	1.0	6.0	6.0	6.0
81	13.0	4.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	0.0	10.0	7.0	9.0	7.0	6.3	20.0	2.0
82	13.0	4.0	0.0	0.0	0.0	0.0	0.0	17.0	0.0	0.0	11.0	6.0	6.0	9.0	7.9	17.0	2.0
83	13.0	3.0	0.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0	7.0	9.0	6.0	7.0	6.5	15.0	2.0
84	13.0	3.0	0.0	0.0	1.0	0.0	0.0	17.0	0.0	0.0	12.0	5.0	6.0	6.0	6.8	18.0	2.0
85	12.0	4.0	0.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0	12.0	4.0	12.0	3.0	4.0	8.0	3.0
86	8.0	0.0	0.0	0.0	1.0	0.0	0.0	9.0	0.0	0.0	9.0	0.0	2.0	3.0	5.4	8.0	3.0
87	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	7.0	5.0	3.0	8.0	10.4	26.0	2.0
88	6.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	0.0	0.0	2.0	4.0	1.0	5.0	5.3	8.0	4.0
89	14.0	0.0	0.0	0.0	2.0	0.0	0.0	16.0	0.0	0.0	11.0	5.0	6.0	7.0	8.3	20.0	3.0
90	10.0	0.0	0.0	0.0	1.0	0.0	0.0	11.0	0.0	0.0	5.0	6.0	6.0	5.0	6.0	13.0	2.0
0	10.5	1.6	0.0	0.0	0.5	0.0	0.0	12.6	0.0	0.0	7.8	4.7	5.2	5.5	6.7	26.0	0.0

PELLY

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	10.0	5.0	1.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0	10.0	6.0	5.0	9.0	8.5	18.0	2.0
81	10.0	4.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	7.0	7.0	5.0	8.0	9.7	21.0	2.0
82	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	11.0	4.0	4.0	11.0	8.2	18.0	2.0
83	10.0	3.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	6.0	7.0	9.0	3.0	4.0	7.0	2.0
84	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	9.0	6.0	7.0	8.0	6.5	21.0	1.0
85	9.0	5.0	1.0	0.0	0.0	0.0	0.0	15.0	1.0	0.0	13.0	2.0	5.0	10.0	10.6	27.0	2.0
86	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	7.0	7.0	6.0	8.0	8.7	28.0	2.0
87	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	9.0	6.0	11.0	4.0	5.4	17.0	2.0
88	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	9.0	6.0	8.0	7.0	7.5	24.0	1.0
89	10.0	5.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	8.0	7.0	8.0	6.0	11.8	31.0	2.0
90	9.0	5.0	1.0	0.0	0.0	0.0	0.0	15.0	1.0	0.0	4.0	11.0	5.0	9.0	8.4	26.0	1.0
0	9.8	4.7	0.3	0.0	0.0	0.0	0.0	14.8	0.2	0.0	8.5	6.3	6.6	7.5	6.8	31.0	0.0

POND

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	15.0	4.0	2.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	13.0	8.0	6.0	15.0	9.2	25.0	2.0
81	15.0	4.0	2.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	16.0	5.0	11.0	10.0	6.0	23.0	2.0
82	14.0	4.0	3.0	2.0	0.0	0.0	0.0	23.0	0.0	2.3	13.0	10.0	13.0	10.0	5.4	25.0	0.0
83	12.0	4.0	0.0	0.0	1.0	0.0	0.0	17.0	0.0	0.0	6.0	11.0	8.0	9.0	5.2	9.0	1.0
84	12.0	4.0	0.0	0.0	3.0	0.0	0.0	19.0	0.0	0.0	13.0	6.0	9.0	9.0	6.6	19.0	2.0
85	14.0	3.0	2.0	0.0	0.0	0.0	0.0	19.0	0.0	0.0	9.0	10.0	10.0	8.0	5.7	18.0	2.0
86	15.0	4.0	1.0	0.0	0.0	0.0	0.0	20.0	0.0	1.0	11.0	9.0	12.0	7.0	5.4	19.0	1.0
87	14.0	4.0	3.0	0.0	0.0	0.0	0.0	21.0	1.0	0.0	13.0	8.0	12.0	9.0	6.4	25.0	0.0
88	15.0	4.0	2.0	0.0	0.0	0.0	0.0	21.0	0.0	1.0	9.0	12.0	13.0	8.0	5.8	25.0	0.0
89	15.0	3.0	3.0	0.0	0.0	0.0	0.0	21.0	0.0	1.0	15.0	6.0	13.0	8.0	6.5	23.0	1.0
90	17.0	0.0	7.0	0.0	0.0	0.0	0.0	24.0	2.0	1.0	13.0	11.0	11.0	9.0	6.8	26.0	1.0
0	14.4	3.5	2.3	0.2	0.4	0.0	0.0	20.6	0.3	0.6	11.9	8.7	10.7	9.3	6.8	26.0	0.0

RANKIN

730/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	11.0	0.0	1.0	0.0	0.0	1.0	0.0	13.0	0.0	1.0	11.0	2.0	4.0	9.0	6.4	17.0	0.0
81	9.0	3.0	1.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	9.0	4.0	1.0	10.0	12.7	20.0	2.0
82	10.0	3.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	7.0	4.0	6.0	4.0	5.0	16.0	1.0
83	10.0	2.0	2.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	10.0	4.0	8.0	2.0	5.1	21.0	0.0
84	11.0	2.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	10.0	2.0	5.0	7.0	7.9	22.0	1.0
85	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	6.0	3.0	5.0	3.0	8.1	24.0	3.0
86	10.0	0.0	2.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	7.0	4.0	9.0	1.0	3.2	9.0	1.0
87	6.0	0.0	1.0	0.0	0.0	0.0	0.0	7.0	0.0	0.0	6.0	1.0	3.0	4.0	5.3	13.0	2.0
88	10.0	2.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.5	8.0	4.0	6.0	5.0	6.8	23.0	1.0
89	9.0	0.0	1.0	0.0	0.0	0.0	0.0	10.0	0.0	1.0	5.0	4.0	2.0	5.0	9.6	23.0	1.0
90	10.0	3.0	0.0	0.0	0.0	0.0	0.0	13.0	0.0	0.0	8.0	5.0	6.0	6.0	7.5	23.0	2.0
0	9.5	1.4	0.7	0.0	0.0	0.1	0.0	11.7	0.0	0.2	7.9	3.4	5.0	5.1	6.8	24.0	0.0

REPULSE

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	17.0	0.0	3.0	0.0	0.0	0.0	0.0	20.0	0.0	1.5	9.0	11.0	10.0	10.0	6.2	24.0	1.0
81	20.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	12.0	8.0	4.0	16.0	8.0	22.0	2.0
82	20.0	0.0	1.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	9.0	12.0	13.0	7.0	5.2	17.0	1.0
83	18.0	0.0	0.0	0.0	2.0	0.0	0.0	20.0	0.0	0.0	14.0	6.0	13.0	5.0	4.4	22.0	0.0
84	18.0	0.0	1.0	0.0	0.0	0.0	0.0	19.0	0.0	1.0	7.0	11.0	10.0	8.0	4.6	14.0	0.0
85	16.0	0.0	0.0	0.0	0.0	0.0	0.0	16.0	0.0	0.0	9.0	7.0	10.0	6.0	5.1	16.0	1.0
86	18.0	0.0	1.0	0.0	2.0	0.0	0.0	21.0	0.0	0.0	10.0	10.0	13.0	7.0	6.2	25.0	2.0
87	17.0	0.0	3.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	8.0	12.0	13.0	7.0	5.8	18.0	1.0
88	20.0	0.0	1.0	0.0	0.0	0.0	0.0	21.0	0.0	0.0	12.0	9.0	9.0	12.0	6.4	24.0	1.0
89	20.0	0.0	1.0	0.0	0.0	0.0	0.0	21.0	0.0	3.0	10.0	11.0	14.0	7.0	6.1	23.0	1.0
90	20.0	0.0	1.0	0.0	0.0	0.0	0.0	21.0	0.0	2.0	13.0	8.0	11.0	9.0	7.2	25.0	0.0
0	18.5	0.0	1.1	0.0	0.4	0.0	0.0	20.0	0.0	0.7	10.3	9.5	10.9	8.5	6.7	25.0	0.0

RESOLUTE

30/93

SUMMARY OF POLAR BEAR HUNTER KILL

EASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	32.0	4.0	10.0	0.0	0.0	0.0	0.0	46.0	1.0	0.0	30.0	12.0	24.0	20.0	7.2	23.0	2.0
81	34.0	4.0	5.0	0.0	0.0	0.0	0.0	43.0	0.0	0.0	26.0	17.0	19.0	19.0	8.2	23.0	2.0
82	32.0	3.0	5.0	0.0	0.0	0.0	0.0	40.0	2.0	0.0	23.0	17.0	16.0	24.0	6.9	16.0	2.0
83	31.0	3.0	5.0	0.0	2.0	0.0	0.0	41.0	2.0	1.7	23.0	18.0	11.0	29.0	8.8	22.0	0.0
84	30.0	3.0	7.0	0.0	2.0	0.0	0.0	42.0	1.0	0.0	23.0	13.0	16.0	19.0	6.4	18.0	1.0
85	28.0	4.0	8.0	0.0	4.0	0.0	0.0	44.0	1.0	1.0	27.0	12.0	18.0	21.0	6.7	23.0	0.0
86	25.0	3.0	3.0	1.0	9.0	0.0	0.0	41.0	1.0	0.0	18.0	9.0	15.0	8.0	5.9	32.0	2.0
87	24.0	4.0	3.0	0.0	10.0	0.0	1.0	42.0	0.0	0.0	27.0	14.0	18.0	16.0	6.3	27.0	2.0
88	23.0	4.0	6.0	0.0	9.0	0.0	0.0	42.0	1.0	1.0	31.0	10.0	15.0	23.0	6.6	22.0	0.0
89	20.0	4.0	3.0	0.0	12.0	0.0	0.0	39.0	2.0	0.0	33.0	5.0	7.0	30.0	8.1	23.0	2.0
90	22.0	4.0	4.0	0.0	10.0	0.0	0.0	40.0	1.0	0.0	33.0	5.0	7.0	28.0	10.5	35.0	2.0
0	27.4	3.6	5.4	0.1	5.3	0.0	0.1	41.8	1.1	0.3	26.7	12.0	15.1	21.5	6.8	35.0	0.0

SACHS

/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	17.0	3.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	13.0	7.0	6.0	12.0	6.3	11.0	2.0
81	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	9.0	4.0	3.0	6.0	5.3	12.0	2.0
82	15.0	0.0	1.0	0.0	4.0	0.0	0.0	20.0	1.0	0.0	14.0	6.0	12.0	4.0	4.6	12.0	2.0
83	12.0	4.0	1.0	0.0	4.0	0.0	0.0	21.0	0.0	0.0	14.0	7.0	10.0	6.0	5.8	21.0	2.0
84	13.0	3.0	0.0	0.0	4.0	0.0	0.0	20.0	0.0	0.0	16.0	4.0	8.0	8.0	9.2	19.0	2.0
85	15.0	4.0	3.0	0.0	0.0	0.0	0.0	22.0	1.0	0.0	11.0	9.0	9.0	6.0	5.8	17.0	2.0
86	13.0	0.0	0.0	0.0	8.0	0.0	0.0	21.0	0.0	0.0	14.0	4.0	2.0	10.0	9.1	22.0	3.0
87	10.0	0.0	0.0	0.0	9.0	0.0	0.0	19.0	0.0	0.0	4.0	0.0	0.0	3.0	17.3	20.0	15.0
88	0.0	0.0	4.0	0.0	7.0	0.0	0.0	11.0	4.0	0.0	6.0	4.0	2.0	4.0	7.3	16.0	2.0
89	5.0	0.0	2.0	0.0	7.0	0.0	0.0	14.0	1.0	0.0	7.0	5.0	5.0	8.0	9.0	19.0	3.0
90	16.0	0.0	0.0	0.0	6.0	0.0	0.0	22.0	0.0	1.0	12.0	9.0	3.0	14.0	8.7	21.0	4.0
0	11.8	1.3	1.0	0.0	4.5	0.0	0.0	18.5	0.6	0.1	10.9	5.4	5.5	7.4	6.8	22.0	0.0

SANIKILUAQ

6/30/93

SUMMARY OF POLAR BEAR HUNTER KILL

SEASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	20.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	11.0	4.0	6.0	9.0	6.3	15.0	1.0
81	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	18.0	7.0	12.0	13.0	4.6	10.0	2.0
82	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	21.0	4.0	4.0	14.0	7.7	17.0	3.0
83	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	1.0	13.0	12.0	14.0	10.0	4.8	13.0	1.0
84	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	15.0	10.0	14.0	11.0	6.4	20.0	1.0
85	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	13.0	11.0	9.0	11.0	7.2	22.0	1.0
86	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	19.0	4.0	5.0	2.0	4.1	6.0	3.0
87	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	17.0	8.0	8.0	17.0	5.3	12.0	1.0
88	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	1.0	15.0	10.0	9.0	16.0	6.1	24.0	2.0
89	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	18.0	7.0	13.0	12.0	6.8	19.0	1.0
90	20.0	5.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	20.0	5.0	15.0	9.0	5.8	24.0	1.0
0	20.0	4.5	0.0	0.0	0.0	0.0	0.0	24.5	0.0	0.2	16.4	7.5	9.9	11.3	6.8	24.0	0.0

SPENCE

/93

SUMMARY OF POLAR BEAR HUNTER KILL

SON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	OPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	18.0	9.0	9.0	18.0	8.1	21.0	1.0
81	20.0	4.0	3.0	0.0	0.0	0.0	0.0	27.0	3.0	0.0	15.0	12.0	10.0	15.0	7.9	21.0	2.0
82	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	15.0	11.0	8.0	18.0	8.6	20.0	3.0
83	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	14.0	13.0	15.0	11.0	4.8	17.0	2.0
84	21.0	5.0	0.0	0.0	0.0	0.0	0.0	26.0	0.0	1.0	15.0	11.0	12.0	14.0	7.2	20.0	2.0
85	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	1.0	18.0	9.0	12.0	15.0	8.4	29.0	2.0
86	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	16.0	11.0	13.0	14.0	7.3	27.0	1.0
87	22.0	5.0	1.0	0.0	0.0	0.0	0.0	28.0	0.0	0.0	19.0	9.0	14.0	13.0	7.5	29.0	1.0
88	22.0	5.0	1.0	0.0	0.0	0.0	0.0	28.0	0.0	1.0	19.0	9.0	13.0	15.0	7.1	28.0	0.0
89	22.0	5.0	1.0	0.0	0.0	0.0	0.0	28.0	0.0	0.0	13.0	15.0	14.0	14.0	6.6	21.0	2.0
90	22.0	5.0	0.0	0.0	0.0	0.0	0.0	27.0	0.0	3.0	17.0	10.0	16.0	11.0	6.0	24.0	1.0
0	21.7	4.9	0.5	0.0	0.0	0.0	0.0	27.2	0.3	0.5	16.3	10.8	12.4	14.4	6.8	29.0	0.0

TUKTOYAKTUK

/93

SUMMARY OF POLAR BEAR HUNTER KILL

SON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	17.0	0.0	2.0	0.0	0.0	0.0	0.0	19.0	0.0	0.5	15.0	4.0	7.0	10.0	7.0	18.0	1.0
81	20.0	0.0	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	12.0	8.0	2.0	16.0	8.8	21.0	4.0
82	22.0	4.0	1.0	0.0	0.0	0.0	0.0	27.0	0.0	0.0	18.0	9.0	5.0	13.0	10.0	21.0	3.0
83	22.0	3.0	2.0	0.0	0.0	0.0	0.0	27.0	0.0	1.0	20.0	6.0	12.0	12.0	6.3	21.0	1.0
84	21.0	1.0	2.0	0.0	0.0	0.0	0.0	24.0	1.0	1.0	18.0	6.0	17.0	7.0	5.3	21.0	1.0
85	20.0	0.0	0.0	0.0	1.0	0.0	0.0	21.0	0.0	0.0	14.0	6.0	10.0	7.0	6.4	23.0	1.0
86	21.0	4.0	1.0	0.0	0.0	0.0	0.0	26.0	0.0	0.0	13.0	13.0	16.0	10.0	5.3	16.0	2.0
87	20.0	0.0	0.0	0.0	3.0	0.0	0.0	23.0	0.0	0.0	14.0	7.0	13.0	7.0	6.2	21.0	2.0
88	13.0	0.0	2.0	0.0	1.0	0.0	0.0	16.0	2.0	1.0	11.0	4.0	8.0	7.0	6.3	17.0	1.0
89	19.0	0.0	1.0	0.0	1.0	0.0	0.0	21.0	0.0	0.0	15.0	5.0	6.0	14.0	6.8	17.0	2.0
90	25.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	0.0	0.0	15.0	9.0	10.0	15.0	8.5	24.0	0.0
0	20.0	1.1	1.0	0.0	0.5	0.0	0.0	22.6	0.3	0.3	15.0	7.0	9.6	10.7	6.8	24.0	0.0

WAGER,BAY

0/93

SUMMARY OF POLAR BEAR HUNTER KILL

ASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL .	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
81	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	90.0
82	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.0	0.0	1.0	1.0	0.0	3.0	3.0	3.0
83	0.0	3.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2.0	1.0	1.0	2.0	4.7	6.0	2.0
84	0.0	4.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	3.0	1.0	1.0	2.0	6.3	10.0	1.0
85	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	1.0	0.0	1.0	0.0	4.0	4.0	4.0
86	0.0	0.0	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
87	0.0	3.0	1.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	2.0	2.0	0.0	2.0	15.0	19.0	11.0
88	0.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	1.0	1.0	0.0	3.0	3.0	3.0
89	0.0	2.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	1.0	1.0	1.0	1.0	4.0	5.0	3.0
90	0.0	4.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	4.0	0.0	2.0	1.0	5.0	8.0	3.0
0	0.0	1.7	0.2	0.0	0.2	0.0	0.0	2.1	0.0	0.0	1.3	0.7	0.7	0.7	6.8	19.0	0.0

WHALE,COVE

30/93

SUMMARY OF POLAR BEAR HUNTER KILL

EASON	REGULAR KILL	RED TAG KILL	PROBLEM KILL	MISC KILL	SPORT KILL	ILLEGAL KILLS	UNKNOWN KILL	TOTAL	QPROB KILL	FAMILY GROUPS	MALES	FEMALES	SUB ADULT	ADULT	MEAN AGE	MAX AGE	MIN AGE
80	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	10.0	2.0	6.0	5.0	7.3	17.0	2.0
81	12.0	2.0	1.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	10.0	5.0	7.0	6.0	7.2	20.0	2.0
82	12.0	2.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	6.0	8.0	8.0	4.0	4.5	9.0	1.0
83	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	9.0	3.0	7.0	4.0	6.6	23.0	1.0
84	12.0	3.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	10.0	5.0	6.0	9.0	7.0	17.0	1.0
85	9.0	0.0	1.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	8.0	2.0	5.0	4.0	6.0	25.0	2.0
86	12.0	2.0	0.0	0.0	0.0	0.0	0.0	14.0	0.0	0.0	9.0	5.0	12.0	1.0	4.2	21.0	1.0
87	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	7.0	1.0	6.0	3.0	3.7	8.0	2.0
88	12.0	0.0	0.0	0.0	0.0	0.0	0.0	12.0	0.0	0.0	10.0	2.0	7.0	5.0	7.2	18.0	1.0
89	8.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	0.0	0.0	5.0	3.0	4.0	3.0	5.6	16.0	1.0
90	9.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	0.0	5.0	4.0	6.0	3.0	5.8	26.0	1.0
0	10.8	0.8	0.2	0.0	0.0	0.0	0.0	11.8	0.0	0.0	8.1	3.6	6.7	4.3	6.8	26.0	0.0